

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) In a Universal Plug and Play (UPnP) server system having media content available for streaming, a method for ~~identifying~~ distinguishing between an original format of the media content and a non-original format of the media content, the method being implemented by a UPnP service, the method comprising:
 - identifying at least one media content identifier in a media content directory, wherein the media content identifier identifies the media content;
 - identifying a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the media content, wherein the stream access identifiers comprise a first stream access identifier that identifies the media data streams comprising an original media data stream and a second stream access identifier that identifies a non-original media data stream, wherein the original media data stream corresponds to the original format of the media content and is streamed from the server system without transcoding or protocol translation being performed;
 - distinguishing between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and
 - ~~determining which of the plurality of stream access identifiers corresponds to the original media data stream; and~~
 - in response to a client request, providing the client with identifier information about the first stream access identifier that corresponds to the original media data stream.
- 2-3. (Canceled)

4. (Original) The method of claim 1, wherein identifying the at least one stream access identifier comprises receiving user input.
5. (Original) The method of claim 1, wherein identifying the at least one stream access identifier comprises matching a characteristic of the at least one stream access identifier to a similar characteristic of the media file.
6. (Original) The method as in claim 1, wherein identifying the at least one stream access identifier comprises applying a rule to the plurality of stream access identifiers.
7. (Canceled)
8. (Original) The method of claim 1, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original stream.
9. (Original) The method of claim 8, wherein the at least one stream access identifier comprises the attribute.

10. (Currently Amended) A Universal Plug and Play (UPnP) server system having media content available for streaming, comprising:

a UPnP content directory service implementation;

a media content directory maintained by the UPnP content directory service

implementation, comprising:

a media content identifier identifying media content; and

a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the media content, wherein the stream access identifiers comprise a first stream access identifier that identifies the media data stream comprising an original media data stream and a second stream access identifier that identifies a non-original media data stream, wherein the original media data stream corresponds to an original format of the media content and is streamed from the server system without transcoding or protocol translation being performed; and

an original stream identification service implementation configured to:

distinguish between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and

determine which of the plurality of stream access identifiers corresponds to the original media data stream; and

in response to a client request, provide the client with identifier information about the first stream access identifier that corresponds to the original media data stream.

11-12. (Canceled)

13. (Original) The server system of claim 10, wherein identifying the at least one stream access identifier comprises receiving user input.
14. (Original) The server system of claim 10, wherein identifying the at least one stream access identifier comprises matching a characteristic of the at least one stream access identifier to a similar characteristic of the media file.
15. (Original) The server system of claim 10, wherein identifying the at least one stream access identifier comprises applying a rule to the plurality of stream access identifiers.
16. (Canceled)
17. (Original) The server system of claim 10, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original stream.
18. (Original) The server system of claim 17, wherein the at least one stream access identifier comprises the attribute.

19. (Currently Amended) ~~A set of executable instructions on a computer readable medium~~ that is part of a Universal Plug and Play (UPnP) server system having media content available for streaming, the computer-readable medium comprising the instructions being that are executable for identifying an original format of the media content, the instructions being executable to:

identify at least one media content identifier in a media content directory, wherein the media content identifier identifies the media content;

identify a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the media content, wherein the stream access identifiers comprise a first stream access identifier that identifies the media data streams comprising an original media data stream and a second stream access identifier that identifies a non-original media data stream, wherein the original media data stream corresponds to the original format of the media content and is streamed from the server system without transcoding or protocol translation being performed;

distinguish between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and

~~determine which of the plurality of stream access identifiers corresponds to the original media data stream; and~~

in response to a client request, provide the client with identifier information about the first stream access identifier that corresponds to the original media data stream.

20-21. (Canceled)

22. (Currently Amended) The computer-readable medium ~~set of executable instructions~~ of claim 19, wherein identifying the at least one stream access identifier comprises receiving user input.

23. (Currently Amended) The computer-readable medium ~~set of executable instructions~~ of claim 19, wherein identifying the at least one stream access identifier comprises matching a characteristic of the at least one stream access identifier to a similar characteristic of the media file.

24. (Currently Amended) The computer-readable medium ~~set of executable instructions~~ of claim 19, wherein identifying the at least one stream access identifier comprises applying a rule to the plurality of stream access identifiers.

25. (Canceled)

26. (Currently Amended) The computer-readable medium ~~set of executable instructions~~ of claim 19, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original stream.

27. (Currently Amended) The computer-readable medium ~~set of executable instructions~~ of claim 26, wherein the at least one stream access identifier comprises the attribute.